

## MANOTTE 1.6TB (Tip Bending) - ref.: MAN16TB

MANOTTE 1.6TB pliers can bend and cut K-wires measuring 1 mm to 1.6 mm in diameter.

MANOTTE 1.6TB pliers were designed in order to bend a K-wire without applying mechanical stress while traversing bone.

### Bending

Bending a 1.5 mm Ø Kirschner wire.

#### Positioning:


The K-wire is inserted laterally in one of the slots of the lower jaw.

#### Bending:

During the bending operation, the pin is pushed backwards by the nose of the upper jaw and guided by a small groove.

#### N.B.


- The pin need only protrude 20 mm from the surface of the skin to be bent effortlessly by the MANOTTE pliers.
- To fully apprehend the fact that bending the pin with MANOTTE pliers does not affect it, hold the pin between thumb and index finger placed in contact with the pliers.



The right lateral slot of the plier's lower jaw can hold pins measuring 1.6 mm or 1.2 mm in diameter. The left hand slot, which is smaller, can hold pins measuring 1 mm or 1.2 mm in diameter

### Cutting

The pin is fully inserted into the cutting aperture (like a cigar cutter).



MANOTTE Cut



Standard cut



MANOTTE cuts by shearing (like a cigar cutter) and not by crushing. As a result, the cutting surface on the end of the pin is **clean and burr-free**, unlike the surface with standard cutting instruments. Photographs of cuts on a 1.6 mm diameter Kirschner wire.

- Guaranteed for 5 years 1 year for the jaws.
- Stainless steel.
- Copyright ©


Design+photos: e-moncaux / 072 64112 - © AREX® - 2020

[www.arex.fr](http://www.arex.fr)

## MANOTTE 1.6TB



### CUT:



### BEND:



### CRIMP:



Three different ways to use MANOTTE 1.6TB



<http://www.arex.fr/QRc.php?c=8>



LIGAMENTOTAXOR surgical technique: MANOTTE 1.6TB makes it simple and easy.

<http://www.arex.fr/QRc.php?c=1>